15- Mobil Uygulama Üzerinde Kriter Alanların Liste Ekranında Gösterimi

Amaç

Logo CRM Mobil uygulamasında herhangi bir iş nesnesinde kriter üzerinden gösterilen alanın liste ekranında gösterimi.

Konu

Aktivite menüsü üzerindeki satış temsilcisi alanını Logo CRM Mobil liste ekranda gösterimi.

Adım-1 Logo CRM uyarlama araçları üzerinden 'Model Editor' açılır. Aktivite iş nesnesi bulunur.

 MT_Activity>OwnMembers içerisinde sağ click>Add ile property alan açılır ve Is Calculated alanı oluşturmak için 'True' seçeneği seçilir. Deatilview üzerinden alan tekrardan oluşturulur.



Adım-2 CT_Sales,_Rep alanına Expression Ekleme

CT_Sales_Rep alanı için BO Model üzerinden 'logocrm.net.Module.BusinessObjects.Codes' bulunur. SalesRepName alanına tıklanır Expression alanına [SalesRep].SalesRepName kriteri yazılır.

CT_Propose_Groups		
CT_Proposal_Stages	N. C.	
CT_Proposal_Stages_Criteria	Diger	
CT Reference Sources	Caption	Isim
CT Role	Id	SalesRepName
CT_Sales_Area	Index	
CT Sales Rep	C ToolTip	
AppearanceRules	Görünüm	
III Categories	* PropertyEditorType	Xafari.Editors.Web.ASPxXafariStringPropertyEditor
DockPanels	LiseCustomTemplate	False
Map/iew	Herardov	
WnMembers	Marada Alama	
_CreatedBy	ne a cryvane	
_CreatedDateTime	LogoCRM	
[1] _LastModifiedBy	IndudeInListViewSearch	True
 LastModifiedDateTime 	LogoCRMBuikEdit	
[]]_photoBase64Url	IsRemovedFromBulkEdit	False
C ActivityOld	LogoCRMRESTApi	
CanActivity I oempty Portfolios	DataSourceField	
CanActivityToOtherPortfolios	DataSourceEleldOriteria	
CarcolemptyPortolos	Data Second Compiled	
CarbonomerPortfolios	Datassorreeuwinnen	
Can eadToOtherPortfolios	EditorType	_Unknown
CanOfferProposalToEmotyPortfolios	FieldIndex	0
CanOfferProposalToOtherPortfolios	FieldMaxLength	0
[1] CanSaleToEmptyPortfolios	FieldValueLimit	0
[1] CanSaleToOtherPortfolios	GroupFieldIndex	0
1 ERPSalesman	OnChangeOptions	
1 IsActive	PropertyIsReadOnly	False
[] OpportunityOid	PropertyTsVisible	False
ReportDisplayName	Project vyzavolove	rase Fals
ReportName	Showsummary	Faise
1 SalesArea	UseFastRecordAdd	False
SalesRepName	Veri	
SalesRepPersonInfo	DataSourceCriteria	
💷 UserOid	DataSourceCriteriaProperty	
CT_Sectors	DataSourceProperty	
CT_Sub_Sectors	DataCourseDroperty Att 20-it-in	
CT_Ticket_Main_Category	DataSourcePropertyIshuliCriteria	
CT_Ticket_States	DataSourcePropertyIsNullMode	SelectVothing
CT_Ticket_Sub_Category	LookupProperty	
CT_Ticket_Types	P Name	SalesRepName
CT_Units	PredefinedValues	
CT_Units_Collections	* Type	System.String
CT_User_Access_Definitions	I IseBul istNewCriteriaOhiertCreation	True
CT_User_Departments	Variate	105
jorm.net.Module.BusinessObjects.Definitions	Tenesm	
orum.net.Module.BusinessObjects.GenericCategories orum.net.Module.BusinessObjects.Intervation ype: DevExpress.ExpressApp.Model.IModelMember, Member of interface: Dev mber node defines a property of the class specified by the parent node.	MaxWidth MeWWidth Express.ExpressApp.Model.IModelBOModelClassMembers	0 0
oram.net.Module.businessObjects.cenericCategories oram.net.Module.businessObjects.Intervation ype: DevExpress.ExpressApp.Model.IModelMember, Member of interface: Dev mber node defines a property of the class specified by the parent node. omainComponents.Common oncome and Medule BusinessObjects	MaxWidth MinWidth MinWidth Control Control Control	0 0
orum.net.Moda.ebuanessObjects.iceneric2ategones orum.net.Moda.ebuanessObjects.intervation ype: DevExpress.ExpressApp.Model.IModelMember, Hember of interface: Dev mber node defines a property of the class specified by the parent node. onanComponents.Common opcorm.met.Hodule.BusinessObjects drobaseDist	MaxWidth MeWiddth VExpress.ExpressApp.Model.TModelBOModelClassMembers	
orm.net.Moda.BusinessObjects.GenericCategories omm.net.Moda.BusinessObjects.Intervation ype: DevExpress.ExpressApp.Model.IModelMember, Hember of interface: Dev mber node defines a property of the class specified by the parent node. omainComponents.Common opcomm.net.Module.BusinessObjects I christesCobject	VExpress.ExpressApp.Model.IModelBOModelClassMembers	0 0 Xafari.Editors.Web.ASPxXafariStringPropert
orum.net.Noda.BusinessObjects.DeneroCategories orum.net.Noda.BusinessObjects.Intervation ype: DevExpress.ExpressApp.Model.IModelMember, Hember of interface: Dev mber node defines a property of the class specified by the parent node. omainComponents.Common opcorm.met.Hodule.BusinessObjects chrisesObjects chrisesObject	MaxWidth MeWidth Fexpress.ExpressApp.Model.IModelBOModelClassMembers	0 0 Xafari.Editors.Web.ASPsotafariStringPropert Palse
oram.net.Noda.BusinessObjects.Genericategories oram.net.Noda.BusinessObjects.Intervation ype: DevExpress.ExpressApp.Model.IModelMember, Hember of interface: Dev mber node defines a property of the class specified by the parent node. onanComponents.Common apportmateLModule.BusinessObjects of antibaccibject antivisticatorBaseObject antivisticatorBaseObject bioSOLSIstements	MaxWidth Me	0 0 Xafari.Edtors.Web.ASPxXiafariStringPropert False
oram.net.Moda.BusinessObjects.GeneraCategories com.met.Moda.BusinessObjects.Intervation ype: DevExpress ExpressApp.Model.IModelMember, Hember of interface: Dev mber node defines a property of the class specified by the parent node. onsainComponents.Common gocrm.net.Module.BusinessObjects chritescObject chritescObject DESQLStatements WT.Action.Lists	MaxWidth MeWiddth VExpress.ExpressApp.Model.IModelBOModelClassMembers © TodTip Gorinom PropertyEditorType UseCustomTemplate HerarchyLame	0 0 Xafari.Edtors.Web.ASPxXafariStringPropert False
oram.net.Moda.BusinessObjects.Generica.Begines som.net.Moda.BusinessObjects.Intervation Ype: DevExpress.ExpressApp.Model.IModelMember, Hember of interface: Dev mber node defines a property of the class specified by the parent node. omainComponents.Common opcorm.net.Module.BusinessObjects drafisetColject drafisetColject drafisetColject ofCycl.Statements VT_Action_Lists VT_Action_Lists	MaxWidth MeWiddth VExpress.ExpressApp.Model.IModelBOModelClassMembers Corrunt PropertyEditorType UseCustomTemplate Herarchy Herar	0 0 Xafari.Editors.Web.ASPxXafariStringPropert False
orm.net.Noda.BusinessOpets.Cenercicategories com.net.Noda.BusinessOpets.Linearation ype: DevExpress.ExpressApp.Model.IModelMember, Hember of interface: Dev mber node defines a property of the class specified by the parent node. comainComponents.Common gocrm.net.Hodule.BusinessObjects i christensColject i christensColject i DeSQS.Statements I MT_Action_Lists I MT_Action_Lists II AppearentsUbject	MaxWidth MeWiddth VExpress.ExpressApp.Model.IModelBOModelClassMembers © TooTro C&Grucen PropertyEditorType UseCutomTemplate HerarchyName LogoCRM LogoCRM	0 0 Xafari.Edtors.Web.ASPxXafariStringPropert False
orum.net.Nooda.BusinessObjects.DeneroCategories oom.net.Nooda.BusinessObjects.Durversation Ype: DevExpress.ExpressApp.Model.IModelMember, Member of interface: Dev mber node defines a property of the class specified by the parent node. onanComponents.Common opcorm.act.Module.BusinessObjects chrotosficationBaseObject chrotosficationBaseObject chrotosficationBaseObject MT_Action_Lists MT_Action_Lists MT_Action_tails Categories	MaxWidth MeWiddth MeWiddth MeWiddth MeWiddth MeWiddth MeWiddth MeWiddth MeWiddth Mewidd	0 0 Xafari.Editors.Web.ASPvXafariStringPropert Palse True
oram.net.Nooda.busnessOrgets.cenercicategories oram.net.Nooda.busnessOrgets.cenerciategories omber node defines a property of the class specified by the parent node. onainComponents.Common opocrm.net.Module.BusinessObjects i christer.Components.Common SogoCrm.net.Module.BusinessObjects i christer.Components i christer.Components i christer.common SogOCStatements i MT_Action_Lists i Tr_Action_Lists i Appear.org.lues Docksowies	MaxWidth MeWidth VExpress.ExpressApp.Model.IModelBOModelClassMembers © TooTrp Goruna PropertyEditorType UseCustomTemplate HerarchyName LopoCRM LopoCRM LopoCRM	0 0 Xafari.Editors.Web.ASPxXafariStringPropert False True
orum.net.Nooda.BusinessObjects.Unerricit.ategories orum.net.Nooda.BusinessObjects.Intervation Ype: DevExpress.ExpressApp.Model.IModelMember, Member of interface: Dev mber node defines a property of the class specified by the parent node. onuanComponents.Common apocrm.mat.Hodule.BusinessObjects ontheseObject ontheseObject ontheseObject objectStatements wf_Activity AppearanceRules Categories DoddPanels MayWew	MaxWidth MeWiddth VExpress.ExpressApp.Model.IModelBOModelClassMembers © TodTp GorinCim PropertyEditorType UseCustomTemplate Herarchytkane LogoCRM IncluderListVier/Search LogoCRM IncluderListVier/Search LogoCRM	0 0 Xafari.Editors.Web.ASPxXafariStringPropert Fabe True Pabe
orum.net.Moda.BusinessObjects.DeneroCategories ocom.net.Moda.BusinessObjects.Intervation Ype: DevExpress.ExpressApp.ModeLIModelMember, Hember of interface: Dev mber node defines a property of the class specified by the parent node. omainComponents.Common opcorm.met.Module.BusinessObjects dortidesacObject dortidesacObject dortidesacObject dortidesacObject BioSQLSTatements WT_Action_Lists WT_Action_Lists DodSPanels DodSPanels May New	MaxWidth MeWiddth VExpress.ExpressApp.Model.EModel@OModelClassMembers CGroinian PropertyEdtorType UseCustomTemplate Herardny Herardny Herardny Herardny Herardny LogoCRM Express.ExpressApp.Model.Edt LogoCRMESTApi	0 0 Xafari.Edtors.Web.ASPxXafariStringPropert False True False
oram.et.Nooda.busessobjects.cenerocategories oram.et.Nooda.busessobjects.intervation ype: DevExpress.ExpressApp.Model.IModelMember, Hember of interface: Dev mber node defines a property of the class specified by the parent node. onainComponents.Common opocrm.net.Hodule.BusinessObjects i christer.Common opocrm.net.Hodule.BusinessObjects i christer.Common DoBQLStatements MT_Action_Lists I AppearanceSules i AppearanceS	MaxWidth MeWiddth VExpress.ExpressApp.Model.IModelBOModelClassMembers Control Gorinom ProertyEditorType UseCutomTemplate HerarchyName LogoCRM Include/nult/sitemSearch LogoCRM Include/nult/sitemSearch LogoCRMESTApi DataSourcefield	0 0 Xafari.Editors.Web.ASPxXafariStringPropert False True False
oram.et.Nooda.BusinessObjects.Unerricolategories oom.met.Nooda.BusinessObjects.Unerricolategories omainComponents.Common spoorm.met.Hooda.BusinessObjects i chritosficationBaseObjects i chritosficationBaseObject i	MaxWidth MeWiddth VExpress.ExpressApp.Model.IModelBOModelClassMembers VExpress.ExpressApp.Model.IModelBOModelClassMembers	0 0 Xafari.Editors.Web.ASPxXafariStringPropert Palse True Palse
oram.et.Nooda.BusinessOpeCt.GenericCategories oram.et.Nooda.BusinessOpeCt.SeriesTation Type: DevExpress.ExpressApp.ModeLIModelMember, Hember of interface: Dev mber node defines a property of the class specified by the parent node. onainComponents.Common apportmatc.Module.BusinessObjects d chalaseCOject d chalaseCOject d chalaseCOject d chalaseCoject d chalaseCoject HT_Activity HT_Activity d Appear anceBules DodSanels ModVew D OwnHembers CreateDateTime CreateDateTime CreateDateTime 	MaxWidth MeWidth VExpress.ExpressApp.Model.IModelBOModelClassMembers © TooTrp Goruna PropertyEditorType UseCutomTenplate Herardny Herardnytene LogoCRM LogoCRME LogoC	0 0 Xafari.Editors.Web.ASPxXafariStringPropert False True Palse
orum.net.Noola.BusinessObjects.Unerricategories orum.net.Noola.BusinessObjects.Unerricategories omber node defines a property of the class specified by the parent node. omainComponents.Common opcorm.met.Hoddle.BusinessObjects i untractificationBuscObjects i Categories Doc8Fanelis i MooVew i MooVew i UntractificationBuscObject jCreatedDateTime iLastModifiedDateTime iLastModifiedDateTime	MaxWidth MeWidth VExpress.ExpressApp.Model.IModelBOModelClassMembers © TooTrp Gerünüm PropertyEdtorType UseCustomTenplate Herarchytame LogoCMM IndudeinListVienGearch LogoCMM IndudeinListVienGearch LogoCMMBUEGIt IsRenovedTromBuEGit LogoCMMBUEGIt IsRenovedTromBuEGit EdaSourceField DataSourceField DataSourceField	0 0 Xafari.Edtors.Web.ASPxXafariStringPropert False True Palse Liteinown
orum.net.Moda.BusinesStopeCL Generica.Begines somm.et.Moda.BusinesStopeCL Streenca.Begines Sommer.Moda.BusinesStopeCL Streencarion Ype: DevExpress.ExpressApp.ModeLIModelMember, Hember of interface: Dev mber node defines a property of the class specified by the parent node. SommirComponents.Common sportma.et.Module.BusinesStopjects I drifaseCDiject I drifaseCDiject I drifaseCDiject I drifaseCDiject I drifaseCDiject I StrGSLSTatements I MT_Action_Lists I MT_Action_Lists I MT_Action_Lists I MT_Action_Lists I drageners DodSPanels I dayNew I coresteDateTime I _LastModifiedDutTime I _ActivityCategory	MaxWidth MeWidth VExpress.ExpressApp.Model.IModelBOModelClassMembers Control Control PropertyEditorType UseCutomTemplate Herardny	0 0 Xafari.Editors.Web.ASPxXafariStringPropert False True Palse
orum.net.Noola.BusinessOpech.UnerricLategories omm.net.Noola.BusinessOpech.UnerricLategories omber node defines a property of the class specified by the parent node. omainComponents.Common spocrm.met.Noola.BusinessObjects i untoscOpiect i untoscOpiect i untoscOpiect i untoscOpiect i UnitsocOpiect i UnitsocOpiect i UnitsocOpiect i Categories Dod&Paneles i UnitsocOpiect i Categories Dod&Paneles i Categories i Categor	MaxWidth MeWidth VExpress.ExpressApp.Model.IModelBOModelClassMembers Gorinom ProertyEdtorType UseCutomTemplate Herarchytame LopCRM IncludeInListVenSearch LopCRMELESTApi DataSourceTeld DataSourceTeld DataSourceTeld EdtorType Feldindex	0 0 Xafari.Editors.Web.ASPxXafariStringPropert False True False Jultimoen 0 -
orum.net.Moda.BusinesSubjects.Generica.Begines Sommet.Moda.BusinesSubjects.Intervation Ype: DevExpress.ExpressApp.ModeLIModelMember, Hember of interface: Dev mber node defines a property of the class specified by the parent node. SommarComponents.Common spoorm.met.Module.BusinessObjects i driftosficationBaseObject i driftosfic	MaxWidth MeWiddth VExpress.ExpressApp.Model.IModelBOModelClassMembers VExpress.ExpressApp.Model.IModelBOModelClassMembers	0 0 Xafari.Editors.Web.ASPxXafariStringPropert Palse True Palse Palse Jultinonn 0
orum.net.Noda.BusinesSolpets.CeneroCategories ocom.net.Noda.BusinesSolpets.Intervation Ype: DevExpress.ExpressApp.ModeLIModelMember, Hember of interface: Dev mber node defines a property of the class specified by the parent node. consinComponents.Common sportmatc.Module.BusinessObjects d onBaseCobject d onNotificatorBaseObject d onNotificatorBaseObjects d onBaseCobject DeSQUStatements HT_Action_Lists HT_Action_Lists HT_Action_Lists DodSanels	MaxWidth MeWidth VExpress.ExpressApp.Model.IModelBOModelClassMembers CGrUndin PropertyEditorType UseCutomTemplate HerarchyName LogoCRM HerarchyName LogoCRM LogoCRM LogoCRM LogoCRM LogoCRM LogoCRM LogoCRM LogoCRM LogoCRM DataSourcefield DataSourcefield DataSourcefield DataSourcefield DataSourcefield DataSourcefield DataSourcefield DataSourcefield DataSourcefield DataSourcefield DataSourcefield DataSourcefield DataSourcefield DataSourcefield DataSourcefield DataSourcefield DataSourcefield DataSourcefield EditorType FieldMaketint FieldMaketint	0 0 Xafari.Edtors.Web.ASPxXafariStringPropert False True False Julinovin Q 0
oram.et.Nooda.BusinessObjects.Unerrocategories omm.et.Nooda.BusinessObjects.Unerrocation ype: DevExpress.ExpressApp.ModeLIModelMember, Member of interface: Dev mber node defines a property of the class specified by the parent node. omainComponents.Common goorm.act.Hodule.BusinessObjects i chroloftastorBaseObject i chroloftastorBaseObjec	MaxWidth MeWidth VExpress.ExpressApp.Model.IModelBOModelClassMembers	0 0 Xafari.Edtors.Web.ASPxXafariStringProper False True Palse Unimoun Julinoun 0 0
orum.net.Noda.BusinesSolpets.DeneroCategories ocom.net.Noda.BusinesSolpets.Durversation Ype: DevExpress.ExpressApp.ModeLIModelMember, Member of interface: Dev mber node defines a property of the class specified by the parent node. consinComponents.Common apportmanet.Module.BusinessObjects dontisentGorbaseObject dontisentGorbaseObject dontisentGorbaseObject dontisentGorbaseObject dontisentGorbaseObject MT_Action_Lists HT_Action_Lists HT_Action_Lists DodSPanels doperanetSules DodSPanels doperanetSules DodSPanels doperanetSules DodSPanels doperanetSules DodSPanels doperanetSules DodSPanels doperanetSules DodSPanels doperanetSules DodSPanels doperanetSules DodSPanels doperanetSules doperanetSules DodSPanels doperanetSules d	MaxWidth MeWidth MeWid	0 0 Xafari.Editors.Web.ASPxXafariStringPropert False True False Julianown Q 0 0 0
orum.net.Nooda.BusinesSolpets.Unerricategories omm.net.Nooda.BusinesSolpets.Unerricategories omainComponents.Common spocrm.net.Nooda.BusinesSolpets i unersolpets i un	MaxWidth MeWidth MeWidth MeWidth MeWidth VExpress.ExpressApp.Model.IModelBOModelClassMembers Vexpress.ExpressApp.Model.IModelDOMOdelClassMembers Vexpress.ExpressApp.Model.IModelDOMOdelClassMembers Vexpress.ExpressApp.Model.IModelDOMOdelClassMembers Vexpress.ExpressApp.Model.IModelDOMOdelClassMembers Vexpress.ExpressApp.Model.IModelClassMembers VexpressApp.Model.IMOdelClassMembersApp.Membe	0 0 Xafari.Edtors.Web.ASPxXafariStringPropert False True Palse Unitionn 0 0 0 0 0
orum.net.Moda.BusinesSolpets.DeneroLategories oom.net.Moda.BusinesSolpets.Durveration Ype: DevExpress.ExpressApp.ModeLIModelMember, Hember of Interface: Dev mber node defines a property of the class specified by the parent node. omainComponents.Common apocrm.net.Module.BusinesSobjects i driftamet.Module.BusinesSobjects i driftamet.Common BoSQ.Statements I MT_Action_Latis I MT_Action_Latis I MT_Action_Latis I MT_Action_Latis I MT_Action_Latis I Commembers icreatedBy create	MaxWidth MeWidth VExpress.ExpressApp.ModeLIModelBOModelClassMembers Continue PropertyEditorType UseCutomTemplate Herardny Herardny Herardny HerardnyEditorType LogoCRMESIA LogoC	0 0 Xafari.Editors.Web.ASPxXafariStringPropert False True Palse ULVAriown 0 0 0 0 0 0 0 0 0 0 0
orum.net.Noola.BusinessObjects.Unerrocategories omm.net.Noola.BusinessObjects.Unerroration ype: DevExpress.ExpressApp.ModeLIModelMember, Member of interface: Dev mber node defines a property of the class specified by the parent node. omainComponents.Common apportmanet.Nodels.BusinessObjects i chriseSobject i chriseSobjec	MaxWidth MeWidth MeWidth MeWidth MeWidth VExpress.ExpressApp.Model.IModelBOModelClassMembers VExpress.ExpressApp.Model.IModelBOModelClassMembers Vexpress.ExpressApp.Model.IModelBOModelClassMembers Vexpress.ExpressApp.Model.IModelBOModelClassMembers Vexpress.ExpressApp.Model.IModelBOModelClassMembers Vexpress.ExpressApp.Model.IModelBOModelClassMembers Vexpress.ExpressApp.Model.IModelBOModelClassMembers Vexpress.ExpressApp.Model.IModelBOModelClassMembers Vexpress.ExpressApp.Model.IModelClassMembers VexpressApp.Model.IMOdelClassMembersApp.Member	0 0 Xafari.Edtors.Web.ASPxXafariStringPropert False True False Unite False False False Palse Palse False False False
orum.et.Moda.BusinesSofted.Sterenct.Steppines omm.et.Moda.BusinesSofted.Sterenct.Steppines omainComponents.Common spocrm.mat.Hodelmissoftbigt i dorbaseColject i dorbaseC	MaxWidth MeWidth VExpress.ExpressApp.ModeLIModelBOModelClassMembers VExpress.ExpressApp.ModeLIModelClassMembers Vexpress.ExpressApp.ModeLIMOdelClassMembers Vexpress.ExpressApp.ModeLIMOdelClassMembers Vexpress.ExpressApp.ModeLIMOdelClassMembers Vexpress.ExpressApp.ModeLIMOdelClassMembers Vexpress.ExpressApp.ModeLIMOdelClassMembers Vexpress.ExpressApp.ModeLIMOdelClassMembers Vexpress.ExpressApp.ModeLIMOdelClassMembers Vexpress.ExpressApp.ModeLIMOdelClassMembers Vexpress.ExpressApp.ModeLIMOdelClassMembers Vexpress.ExpressApp.ModeLIMOdelClassMembers Vexpress.ExpressApp.ModeLIMOdelClassMembers Vexpress.ExpressApp.ModeLIMOdelClassMembers Vexpress.ExpressApp.ModeLIMOdelClassMembers Vexpress.ExpressApp.ModeLIMOdelClassMembers Vexpress.ExpressApp.ModeLIMOdelClassMembers Vexpress.ExpressApp.ModeLIMOdelClassMembers Vexpress.ExpressApp.ModeLIMOdelClassMembers VexpressApp.ModeLIMOdelLIMOdeL	0 0 Xafari.Edtors.Web.ASPxXafariStringPropert False True Palse Unimoun Unimoun 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
orum.et.Nooda.BusinessOrgets.DerindCategories omm.et.Nooda.BusinessOrgets.DerindCategories omainComponents.Common spocrim.aet.Nooda.BusinessObjects i universoft.Common spocrim.aet.Nooda.BusinessObjects i universoft.Common spocrim.aet.Nooda.BusinessObjects i universoft.Common spocrim.aet.Nooda.BusinessObjects i universoft.Common spocrim.aet.Nooda.BusinessObjects i universoft.Common spocrim.aet.Nooda.BusinessObjects i universoft.Common spocrim.aet.Nooda.BusinessObjects i universoft.Common spocrim.aet.Nooda.BusinessObjects i universoft.Common i universof	MaxWidth MeWidth Mewid	0 0 Xafari.Edtors.Web.ASPxXafariStingPropert False True False Lirkinown Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q
oram.et.Nooda.BusinesSolpets.DeriverSategories oom.et.Nooda.BusinesSolpets.Durversation ype: DevExpress.ExpressApp.ModeLIModelMember, Member of interface: Dev mber node defines a property of the class specified by the parent node. onanComponents.Common goorm.act.Hodule.BusinesSolpects i chroloftastorBaseObject i chroloftastorBaseObject	MaxWidth MeWidth Mewid	0 0 Xafan Editors Web ASPxXafariStringPropert False True Palse Juhinown 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
oram.et.Moda.BusinesSolpetS.BreineCategories oom.et.Moda.BusinesSolpetS.Intervation ype: DevExpress.ExpressApp.ModeLIModelMember, Member of interface: Dev mber node defines a property of the class specified by the parent node. omainComponents.Common apportma.et.Module.BusinesSobjects derdisesColject de	MaxWidth MeWidth Mewid	0 0 Xafari.Editors.Web.ASPxXafariStingPropert False True Palse Julinown 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
oram.et.Nooda.BusinesSolpetS.UnerricLategories omm.et.Nooda.BusinesSolpetS.UnerricLategories omainComponents.Common spocrm.act.Hodde.BusinesSolpetS inchaseColject inchas	MaxWidth Methidth Met	0 0 xafari.Edtors.Web.ASPxXafariStringPropert False True False Jukinown 0 0 0 0 False False False False False False
oram.et.Moda.BusinesSofted.Sterenct.Steppines oram.et.Moda.BusinesSofted.Sterenct.Steppines omainComponents.Common spocram.act.Moda.BusinesSofted in ChalaesOfted in Chalae	MaxWidth Methodel.LiModelBOModelClassMembers VExpress.ExpressApp.Model.LiModelBOModelClassMembers VExpress.ExpressApp.Model.LiModelBOModelClassMembers VerardhyName LogoCRM Herardhy HerardhyName LogoCRMESIAt Lo	0 0 Xafari.Editors.Web.ASPxXafariStringPropert Fake True Pake Jukinown 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
orum.et.Nooda.BusinesSolpets.DeriveTations ype: DevExpress.ExpressApp.ModeLIModelMember, Member of interface: Dev mber node defines a property of the class specified by the parent node. consinComponents.Common apportmate.Hoddle.BusinesSolpects i christoficatorBuseObject i christoficatorBuseObject i christoficatorBuseObject i christoficatorBuseObject i christoficatorBuseObject i christoficatorBuseObject i Categories DoSdPanels i Categories DoSdPanels i Categories DoSdPanels i CoreateObject i Categories DoSdPanels i CoreateObject i Categories DoSdPanels i CoreateObject i Categories DoSdPanels i Categories i	MaxWidth Methidth GefortCassMembers	0 0 Xafari.Edtors.Web.ASPxXafariStringPropert False True False Jurknown 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
oram.et.Nooda.BusinesSolpets.DeriveTations ype: DevExpress.ExpressApp.ModeLIModelMember, Hember of interface: Dev mber node defines a property of the class specified by the parent node. consinComponents.Common sportmatc.Hoduke.BusinesSobjects i chritesEcollect i chritesE	MaxWidth MitWidth MitWidth MitWidth MitWidth MitWidth MitWidth VExpress.ExpressApp.ModeLI.ModelBOModelClassMembers	0 0 Xafari.Editors.Web.ASPxXafariStringPropert False True Palse Julianown 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
oram.et.Nooda.BusinessOrgets.DeneroLategories oram.et.Nooda.BusinessOrgets.DeneroLategories omainComponents.Common spocrm.act.Nooda.BusinessObjects indhaseObject indh	MaxWidth Methodel MethodelClassMembers	0 0 Xafari.Edtors.Web.ASPxXafariStringPropert Felse True Felse U U U Refer Felse Fel
oram.et.Nooda.BusinesSobjects.Unerricategories omm.et.Nooda.BusinesSobjects.Intervation ype: DevExpress.ExpressApp.ModeLIModelMember, Member of Interface: Dev mber node defines a property of the class specified by the parent node. consinComponents.Common goorm.m.et.Noda.BusinesSobjects i chrolingtorBiseCobject i chrolin	MaxWidth MinWidth MinWidth MinWidth MinWidth MinWidth MinWidth VExpress.ExpressApp.ModeLIModelEBOModelClassMembers	0 0 Xafari.Edtors.Web.ASPxXafariStringPropert Palse True Palse Julianoun 0 1 1 Saleet Status False False False False False False False False False False False False
oram.et.Nooda.BusinessOrgets.DerindCategories omm.et.Nooda.BusinessOrgets.DerindCategories omainComponents.Common sportm.mat.Hoduk.BusinessObjects indhaseObject indha	MaxWidth MethodelClassMembers VExpress.ExpressApp.ModeLIModelBOModelClassMembers VExpress.ExpressApp.ModeLIModelBOModelClassMembers Veri PropertyEditorType UseCutomTemplate HerarchyName LogoCRMB_TMR LogoCRM	0 0 Xafari.Editors.Web.ASPxXafariStingPropert False True False Julinown 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
oram.et.Nooda.BusinesSofted.ServiceLegenes oram.et.Nooda.BusinesSofted.ServiceLegenes mber node defines a property of the class specified by the parent node. sonainComponents.Common goorm.act.HoddelsBusinesSoftets i chrolingstorBiseObjects i chrolingstorBiseObjects i chrolingstorBiseObject i chrolingstorBiseObjects i chrolingstorBis	MaxWidth MinWidth MinWidth MinWidth MinWidth MinWidth VExpress.ExpressApp.ModeLIModelEDModelClassMembers	0 0 Xafari:Edtors.Web.ASPxXafariStragPropert Palse True Palse Palse Selection Palse Palse Palse Palse Palse Palse Palse Palse Palse Palse Palse Palse Palse Palse Palse Palse Palse
oram.et.Nooda.BusinesSofted.ServiceSegnesSomm.et.Nooda.BusinesSofted.ServiceSegnesSofted.Twickersation ype: DevExpress.ExpressApp.ModeLIModelMember, Member of interface: Dev mber node defines a property of the class specified by the parent node. omainComponents.Common goorm.met.ModeBusinesSofted intractionsSofted interfaceSofted intractionsSofted	MaxWidth MeWolds MeWolds WExpress.ExpressApp.Model.IModelBOModelClassMembers WExpress.ExpressApp.Model.IModelBOModelClassMembers WExpress.ExpressApp.Model.IModelBOModelClassMembers	0 0 0 Xafari.Editors.Web.ASPxXafariStringPropert False True Palse Julianown 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
oram.et.Nooda.BusinesSolpets.DeriveTations ype: DevExpress.ExpressApp.ModeLIModelMember, Member of Interface: Dev mber node defines a property of the class specified by the parent node. sonainComponents.Common goorm.act.Hodde.BusinesSolpects i chrolinGatorBiseColpect i chrolinGatorB	MaxWidth Methodel.IModelBOModelClassMembers VExpress.ExpressApp.Model.IModelBOModelClassMembers VExpress.ExpressApp.Model.IModelBOModelClassMembers	0 0 Xafari.Edtors.Web.ASPxXafariStringPropert False True False Julkinown 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
oram.et.Nooda.BusinesSolpets.DeriveTations ype: DevExpress.ExpressApp.ModeLIModelMember, Hember of Interface: Dev mber node defines a property of the class specified by the parent node. sonainComponents.Common sportmate.Hodule.BusinesSolpects i chritesSolpet i chritesSo	MaxWidth Methodel/ClassMembers VExpress.ExpressApp.Model.IModelBOModelClassMembers VExpress.ExpressApp.Model.IModelBOModelClassMembers Vexpress.ExpressApp.Model.IModelBOModelClassMembers	0 0 Xafari.Edtors.Web.ASP.XxafardStringPropert Fake True Pake J.Vrinown 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
oram.et.Nooda.BusinesSolpets.Unerricategories omm.et.Nooda.BusinesSolpets.Unerricategories omainComponents.Common spocrm.act.Hodde.BusinesSolpets inches	MaxWidth Methoddel.LassMembers VExpress.ExpressApp.Model.LModelBOModelClassMembers VExpress.ExpressApp.Model.LModelBOModelClassMembers	0 0 0 Xafari.Edtors.Web.ASPxXafariStringPropert Faise True Faise Jurknown 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
oram.et.Nooda.BusinesSolpets.DeriveTations ype: DevExpress.ExpressApp.ModeLIModelMember, Hember of Interface: Dev mber node defines a property of the class specified by the parent node. constrComponents.Common sportmatc.Hoduke.BusinesSolpects i drivlotificationBaseObject i drivlotificationBaseObje	MaxWidth MethodelClassMembers VExpress.ExpressApp.ModeLIModelBOModelClassMembers VExpress.ExpressApp.ModeLIModelBOModelClassMembers	0 0 0 Xafari.Editors.Web.ASPxXafariStropPropert Fake 7 7 10 9 8 10 10 10 10 10 10 10 10 10 10 10 10 10
oram.et.Nooda.BusinesSofted.ServiceSegned more.tNooda.BusinesSofted.ServiceSegned mber node defines a property of the class specified by the parent node. meanComponents.Common spocm.mat.Hoddle.BusinesSoftets i childsactorBuscOlgett i childs	MaxWidth Methodel/ClassMembers VExpress.ExpressApp.Model.IModelBOModel/ClassMembers VExpress.ExpressApp.Model.IModelBOModel/ClassMembers	0 0 Xafari.Editors.Web.ASPxXafardStringPropert Faise True Faise Julikinown Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q
oram.et.Nooda.BusinesSolpets.DeriveTations ype: DevExpress.ExpressApp.ModeLIModelMember, Member of Interface: Dev mber node defines a property of the class specified by the parent node. consinComponents.Common goorm.act.Hoduke.BusinesSolpects i chroinfactorBiseColject i chroinfactor	MaxWidth Methodel.LIModelBOModelClassMembers VExpress.ExpressApp.Model.LIModelBOModelClassMembers VExpress.ExpressApp.Model.LIModelBOModelClassMembers Verardry PropertyEditorType UseCutomTemplate Herardry	0 0 0 Xafari.Edtors.Web.ASPxXafariStringPropert Fake Pake 7 7 7 7 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9
oram.et.Nooda.BusinesSofted.Literation ype: DevExpress.ExpressApp.ModeLItModelMember, Member of Interface: Dev mber node defines a property of the class specified by the parent node. onanComponents.Common sportmate.Hoduk.BusinesSoftects i chrosofticatorBuscObject i Chrosoftic	MaxWidth Ministrik Withigh Withigh Withigh Withigh Withigh PropertyEditorType UseCutomTemplate HerarchyName LogoCRMB_MEdit DataSourceRed DataSourceRed DataSourceRed DataSourceRed DataSourceRed DataSourceRed ProdertySReadOnly PropertySReadOnly PropertySReadOnly PropertySReadOnly DataSourceProperty DataSourceProperty DataSourceProperty DataSourceProperty DataSourceProperty PropertySReadOnly PropertySReadOnly PropertySReadOnly PropertySReadOnly PropertySReadOnly PropertySReadDonly Dat	0 0 0 Xafari.Editors.Web.ASPxXafariSbingPropert Pake True Pake Pake Quint Quin
oram.et.Nooda.BusinesSolpets.DeriveTations ype: DevExpress.ExpressApp.ModeLIModelMember, Member of Interface: Dev mber node defines a property of the class specified by the parent node. consinComponents.Common goorm.act.Hodde.BusinesSolpects i chroinfoctorBiseObject i chroinfoctorBiseObjecto	Maxiidah Mervidah Mervidah VExpress.ExpressApp.Model.IModel/ClassMembers VExpress.ExpressApp.Model.IModel/ClassMembers	0 0 0 xafari:Edtors.Web.ASPxXafariStrangPropert Palse True Palse 7 7 7 7 7 7 7 7 8 7 8 7 8 7 8 7 8 7 8

Adım-3

Son olarak mobil üzerinde Aktiviteler menüsünde aktivite konusunu ve satış temsilcisi bilgisinin görüntülenebilmesi için MT_Activity içerisinde **ListItemRow1** alanına ActivitySubject **ListItemRow2** alanına oluşturulan SatisTemsilcisi alanı yazılmalıdır.

Bilgilendirme

ListItemRow3 alanı kullanılmamaktadır. Liste ekranında görüntülenecek alanlar ListItemRow1 ve ListIte mRow2 alanlarına girilmelidir. Farklı bir detay görüntülenmesi için alanlar birleştirilerek bu alan kullanılabilir.

I Include Michae	
	Educ
Usedelaurrade	rase
Diğer	
Caption	Aktivite
Id	logocrm.net.Module.BusinessObjects.MT_Activity
Index	
eXpand.View/Variants	
ClonedViewReselEnabled	Falza
Deletation CoDulate	Top
Delevenor Deele	lice
DeeteviewUnkename	Inve
IsilewClonable	Palse
Görünüm	
DefaultDetailView	MT_Activity_Detailview
DefaultDetailViewImage	onActivity
DefaultGridListView	MT_Activity_ListView
DefaultListView	MT Activity ListVew
Default interview Image	michily
Pale di aduat initian	MP Asthetic Lankard intifiant
Detautomapustiew	n
DefaultTreeListView	MT_Activity_ListView
EditorType	DevExpress.ExpressApp.Scheduler.Web.ASPxSchedulerListEditor
Imagellame	anActivity
NavigationGroupName	Default
LogoCRMRESTApi	
GroupCaption 1	
GroupCaption2	
Crum Cantion 3	
disciplination of the second s	
aroupuspeen4	
GroupCaption5	
GroupCaption6	
GroupCaption7	
GroupCaption8	
GroupCaption9	
GroupCaption 10	
LinthanDowl	ActivitySubject
Listhan And	Entity and the
Lister Dec 2	Salis remained
Listitemelow3	
NavigationMenuName	
Veri	
BaseClass	cbnNotificationBaseObject
DefaultProperty	ActivitySubject
FriendlyKeyProperty	
KeyProperty	Old
0.000	Income and Marchele Bards and Mitchiele MT. Antibility
	M M Index eligendive/mants Conceller-InterseEnabled Detertive-Orbeite Defenditume Defenditume Defenditume Defenditume Description-Orbeite Defenditume Description-Orbeite Defenditume Description-Orbeite Description-Orbeite Description-Orbeite Description-Orbeite Description-Orbeite Description-Orbeite Description-Orbeite Description-Orbeite Description-Orbeite <

Bilgilendirme

Aktivite içerisine ilgili kişi eklenmesi için Expression alanına **[SalesRep]. SalesRepPersonInfo** kriteri yazılmalıdır.

ET_Proposal_Types	Caption C	Kip bilger
ET_Reference_Sources	Lid .	Saleskepfersorbite
> 🗰 CT_Stale	Index	
> 📕 CT_Sales_Area	😵 TouTtp	
- 📕 CT_Sales_Rep	Ghrimim	
III AppearanceRules	Enser/TempleteContext	
III Categoriez		A she been with the set of the set of the set of the
DoctPanets	· respects to the	And the second and th
III Papriery	Usecustori Tempete	hase
- B Contract	Herardhy	
Constant Salar Time	Herarchylkane	
Lastheliadh	LageCRM	
LastModifierCalaTing	IndudeInListNevSearch	True
ritotellassi 4.5	LogoCRMBuildt	
Advb/0d	LiFierrovedFromBuikEdit	False
CarvActivityToDreptyTertfishes	Loos/CEMEDITAN	
CanActivityToOtherPartision	Datasia wonField	
CarthdithrephyPortfolios	DataSa maRabiOtaria	
CarthdromerFormalias	Devide and a Feld	
Carl.eadToEmphyPortfolos	Datasia de Cempleio	
Cari. eadTsOtherPortfolos	EditorType	_L/Harrown
CanOfferProposalToEmptyPortfolios	Petilindex	0
CanOfferProposaToOtherPortfolios	ReidMaxLength	0
CarGaleToCriptyPortfolios	FieldValueGrint	0
CarSaleToOtherPortfolios	Groupfieldholex	0
La boosestan	OrichangeOptions	
Constant Of	Property/IsReadOnly	T No.
Revor Circle diame	PropertyLitisble	Febr
Reportione	Destances	T dea
SalesAvea	line for the second state	144
1. SalesRepforce	Supresentation and a	7806
Selectephenord-fo	1el	
UserCiel	DataSourceOnterva	
E CT_Sectors	DetaSourceOnteriaProperty	
III CT_Sub_Sectors	DataSourceProperty	
ET_Toket_Hain_Category	DataSourceProperty/shullOnteria	
 If CT_Rolet_States 	DataSourcePropertytaNulMede	Selectivefiing
El Cf_Ticket_Sub_Category	LookupProperty	Fußiere
 CT_IOMET_Types 	A llana	Calculation and Chi
CT_UNS	· Tune	loggerse, net. Nodule Jusine softments. Primitive Other to, PO. Renza
 Cristes Colectors Cristes Anna Safatana 	The Rest Control of South Control of Southers	The second s
C Line Departments	Variation of the Antipector and g	1100
 boorn out Nadia Business/biacts Definitions 	recept	
boorn net Nadue Business/biscts GenericCategories	MaxWdDh	
bopons net Nackie BusinessObincts, Integration	Merwidth	0
bosom net Nisk in BusinessObjects, IntermediateObjects	+ Sm	0

Tüm işlemler sonrasında IIS restart edilir. Eğer ki model dosya eşitlemesi yansımamışsa, Logo CRM uyarlama araçları üzerindenmodel eşitleme yapılması gerekir.

	Aktiviteler	:
Q Arama yap	±	≣ ∓↓
4 Kayıt		
02 Nisan Müşteri 001 2024 09:10 Aktivite Konusu_Test Satış Temsilcisi 001		•
15 Nisan Müşteri 002 2024 00:00 Planlı ziyaret (2024-03-14) Müşteri 002 Satış Temsilcisi 001		▼